

COMPANY WITH LABORATORY

CERTIFIED BY  ICEC

= According to ICEC TS 406 =

ICEC: Institute Accredited Accredia
for Quality of Leather Area
Cert. N°:CERT-006-2006-LAB ICECLaboratory and Offices:
via Risorgimento, 16
56024 Ponte a Egola – San Miniato (PI)
Italy**CERTEST** SRL10
ANNIVERSARY
CERTEST
2004-2014COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV
= ISO 9001 =DNV: Institute Accredited Accredia for Certification
of management systems for Quality.
Cert. N°:CERT-17087-2006-AQ-MIL-SINCERTTel. +39 0571 49626 (r.a.); Fax: +39 0571 469835
e-mail: info@certest.it; <http://www.certest.it>
Reg. impr. di PI, C.F. e P.IVA n. IT 0171201 050 1
R.E.A. di PI n. 148827

CERTEST s.r.l.

Laboratory of Analysis, Technical Consulting

RECEIPT 20/10/2014

TESTING DATES FROM 22/10/2014 TO 24/10/2014

PAGE 1 of 5

COMMITTENT
GRITTI GROUP S.p.A (English)
Via Zanica 6/F
24050 Grassobbio BG**LABORATORY REPORT N° 1416627 of 24/10/2014**DENOMINATION Analyses purchased by: Germano ZAMBELLI
Purchase Order: /
Article: P. 8844 LIN. 32Colour: 398
Type of Material: Button
Testing Standard Reference: DETOX PROGRAMApproved on behalf of CERTEST S.r.l. by:
Dr.ssa Verena BARTALINI – Laboratory Manager

Analysis valid for all legal purposes (R.D. 1 March 1928 n. 842)

RECEIPT 20/10/2014

TESTING DATES FROM 22/10/2014 TO 24/10/2014

PAGE 2 of 5

COMMITMENT
GRITTI GROUP S.p.A (English)
Via Zanica 6/F
24050 Grassobbio BG

LABORATORY REPORT N° 1416627 of 24/10/2014

TEST METHOD	ANALYSIS DESCRIPTION	RESULT	LIMITS	U.M.	L.O.Q.	NOTES	ASSESS.
	Sample 1416627.01						
Determination of Phthalates in footwear materials - Test Method: UNI CEN ISO TS 16181: 2011 <u>Operating Conditions</u> - Test executed on the total sample mass - Extraction in ultrasonic bath - Detection by GC-MS analysis	Phthalates in the Substrate Dibutyl Phthalate (DBP) (CAS N. 84-74-2) Bis-2-Ethylhexyl Phthalate (DEHP) (CAS N. 117-81-7) Butyl Benzil Phthalate (BBP) (CAS N. 85-68-7) Di-iso-nonyl Phthalate (DINP) (CAS N. 68515-48-0) Di-n-octyl Phthalate (DnOP) (CAS N. 117-84-0) Di-iso-decil Phthalate (DIDP) (CAS N. 68515-49-1) Di-isobutyl Phthalate (DIBP) (CAS N. 84-69-5) Di-n-hexyl Phthalate (DnHP) (CAS N. 84-75-3) Bis (2-Methoxyethyl) Phthalate (DMEP) (CAS N.117-82-8) Diundecil Phthalate (DHNUP) (CAS N. 68515-42-4) Diisoesil Phthalate (DIHP) (CAS N. 146-50-9) Dipentyl Phthalate (DPP) (CAS N. 131-18-0)	< L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q.	<0,001 <0,001 <0,001 <0,01 <0,001 <0,01 <0,001 <0,001 <0,001 <0,01 <0,001 <0,01 <0,001 <0,001 <0,001	% % % % % % % % % % % % %	0,001 0,001 0,001 0,01 0,001 0,01 0,001 0,001 0,001 0,01 0,001 0,01 0,001 0,001		Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass Pass
Determination of certain AZO colorants in dyed leathers. Part 1: Determination of certain aromatic amines derived from azo colorants - Test Method: UNI EN ISO 17234-1: 2010 EC1: 2011 <u>Operating Conditions</u> - Qualitative Detection: GC-MS - Quantitative Detection: HPLC-DAD	Aromatic amines derived from azodyes on leather 2-Amino-4-nitrotoluene (CAS 99-55-8). o-Aminoazotoluene (CAS 97-56-3) 4 - Aminobiphenil (CAS 92-67-1) 2,4,5-Trimethylaniline (CAS 137-17-7)	< L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q.	<5 <5 <5 <5	mg/kg mg/kg mg/kg mg/kg	5 5 5 5	(1)	Pass Pass Pass Pass

Continuing...

Approved on behalf of CERTEST S.r.l. by:
Dr.ssa Verena BARTALINI, Laboratory Manager

Analysis valid for all legal purposes (R.D. 1 March 1928 n. 842)

RECEIPT 20/10/2014

TESTING DATES FROM 22/10/2014 TO 24/10/2014

PAGE 3 of 5

COMMITMENT
GRITTI GROUP S.p.A (English)
Via Zanica 6/F
24050 Grassobbio BG

LABORATORY REPORT N° 1416627 of 24/10/2014

TEST METHOD	ANALYSIS DESCRIPTION	RESULT	LIMITS	U.M.	L.O.Q.	NOTES	ASSESS.
	2,4-Diaminoanisole (CAS 615-05-04)	< L.O.Q.	<5	mg/kg	5		Pass
	2,4-Toluenediamine (CAS 95-80-7)	< L.O.Q.	<5	mg/kg	5		Pass
	2-Methoxyaniline (CAS 90-04-0)	< L.O.Q.	<5	mg/kg	5		Pass
	2-Naphthylamine (CAS 91-59-8)	< L.O.Q.	<5	mg/kg	5	(1)	Pass
	3,3'-Dichlorobenzidine (CAS 91-94-1)	< L.O.Q.	<5	mg/kg	5		Pass
	3,3'-Dimethoxybenzidine (CAS 119-90-4)	< L.O.Q.	<5	mg/kg	5		Pass
	3,3'-Dimethyl-4,4'-diaminodiphenylmethane (CAS 838-88-0)	< L.O.Q.	<5	mg/kg	5		Pass
	3,3'-Dimethylbenzidine (CAS 119-93-7)	< L.O.Q.	<5	mg/kg	5		Pass
	4,4'-Diaminodiphenylmethane (CAS 101-77-9)	< L.O.Q.	<5	mg/kg	5		Pass
	4,4'-Methylene-bis-(2-chloroaniline) (CAS 101-14-4)	< L.O.Q.	<5	mg/kg	5		Pass
	4,4'-Oxydianiline (CAS 101-80-4)	< L.O.Q.	<5	mg/kg	5		Pass
	4,4'-Thiodianiline (CAS 139-65-1)	< L.O.Q.	<5	mg/kg	5		Pass
	4-Chloro-o-toluidine (CAS 95-69-2)	< L.O.Q.	<5	mg/kg	5		Pass
	Benzidine (CAS 92-87-5)	< L.O.Q.	<5	mg/kg	5		Pass
	o-Toluidine (CAS 95-53-4)	< L.O.Q.	<5	mg/kg	5		Pass
	4-Chloroaniline (CAS 106-47-8)	< L.O.Q.	<5	mg/kg	5		Pass
	4-Cresidine (CAS 120-71-8)	< L.O.Q.	<5	mg/kg	5		Pass
	2,4 - Xylidine (CAS 95-68-1)	< L.O.Q.	<5	mg/kg	5		Pass
	2,6 - Xylidine (CAS 87-62-7)	< L.O.Q.	<5	mg/kg	5		Pass
	4-Aminoazobenzene (CAS 60-09-3)	< L.O.Q.	<5	mg/kg	5		Pass
Determination of Organotin Compounds in footwear materials - Test Method: UNI CEN ISO TS 16179: 2012 <u>Operating Conditions</u> - Detection by GC-MS analysis	Organotin compounds						
	MBT	< L.O.Q.	<0,2	mg/kg	0,2		Pass
	DBT	< L.O.Q.	<0,2	mg/kg	0,2		Pass
	TBT	< L.O.Q.	<0,2	mg/kg	0,2		Pass
	TPhT	< L.O.Q.	<0,2	mg/kg	0,2		Pass
	DOT	< L.O.Q.	<0,2	mg/kg	0,2		Pass
	MOT	< L.O.Q.	<0,02	mg/kg	0,02		Pass
	DPhT	< L.O.Q.	<0,02	mg/kg	0,02		Pass
	TeBT	< L.O.Q.	<0,02	mg/kg	0,02		Pass
	TCyT	< L.O.Q.	<0,02	mg/kg	0,02		Pass
	TpT	< L.O.Q.	<0,05	mg/kg	0,05		Pass
	TeET	< L.O.Q.	<0,02	mg/kg	0,02		Pass

Continuing...

Approved on behalf of CERTEST S.r.l. by:
Dr.ssa Verena BARTALINI - Laboratory Manager

Analysis valid for all legal purposes (R.D. 1 March 1928 n. 842)

RECEIPT 20/10/2014

TESTING DATES FROM 22/10/2014 TO 24/10/2014

PAGE 4 of 5

COMMITTENT
GRITTI GROUP S.p.A (English)
Via Zanica 6/F
24050 Grassobbio BG

LABORATORY REPORT N° 1416627 of 24/10/2014

TEST METHOD	ANALYSIS DESCRIPTION	RESULT	LIMITS	U.M.	L.O.Q.	NOTES	ASSESS.	
Solvent extraction and GC-MS analysis	Chlorobenzenes							
	Chlorobenzene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	1,2-Dichlorobenzene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	1,3-Dichlorobenzene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	1,4-Dichlorobenzene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	1,2,3-Trichlorobenzene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	1,2,4-Trichlorobenzene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	1,3,5-Trichlorobenzene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	1,2,3,4-Tetrachlorobenzene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	1,2,3,5-Tetrachlorobenzene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	1,2,4,5-Tetrachlorobenzene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	Pentachlorobenzene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	Hexachlorobenzene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	2-Chlorotoluene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	3-Chlorotoluene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	4-Chlorotoluene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	2,3-Dichlorotoluene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	2,4-Dichlorotoluene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	2,5-Dichlorotoluene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	2,6-Dichlorotoluene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	3,4-Dichlorotoluene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	2,3,6-Trichlorotoluene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	2,4,5-Trichlorotoluene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	Tetrachlorotoluene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	Pentachlorotoluene	< L.O.Q.	<0,01	mg/kg	0,01		Pass	
	Chlorinated solvents							
	Dichloromethane	< L.O.Q.	<0,01	mg/kg	0,01			Pass
	Chloroform	< L.O.Q.	<0,01	mg/kg	0,01			Pass
	Tetrachloromethane	< L.O.Q.	<0,01	mg/kg	0,01			Pass
	1,1,2-Trichloroethane	< L.O.Q.	<0,01	mg/kg	0,01			Pass
	1,1-Dichloroethane	< L.O.Q.	<0,01	mg/kg	0,01			Pass
	1,2-Dichloroethane	< L.O.Q.	<0,01	mg/kg	0,01			Pass
	1,1,1-Trichloroethane	< L.O.Q.	<0,01	mg/kg	0,01			Pass
1,1,1,2-Tetrachloroethane	< L.O.Q.	<0,01	mg/kg	0,01			Pass	
1,1,2,2-Tetrachloroethane	< L.O.Q.	<0,01	mg/kg	0,01			Pass	
Pentachloroethane	< L.O.Q.	<0,01	mg/kg	0,01			Pass	
1,1-Dichloroethylene	< L.O.Q.	<0,01	mg/kg	0,01			Pass	
Trichloroethylene	< L.O.Q.	<0,01	mg/kg	0,01			Pass	
Tetrachloroethylene	< L.O.Q.	<0,01	mg/kg	0,01			Pass	
Determination of Chromium VI - Test method: GB/T 28019: 2011	Chromium [Cr VI]	< L.O.Q.	<3,0	mg/kg	3,0		Pass	

Continuing...

Approved on behalf of CERTEST S.r.l. by:
Dr.ssa Verena BARTALINI - Laboratory Manager

Analysis valid for all legal purposes (R.D. 1 March 1928 n. 842)

RECEIPT 20/10/2014

TESTING DATES FROM 22/10/2014 TO 24/10/2014

PAGE 5 of 5

COMMITMENT
GRITTI GROUP S.p.A (English)
Via Zanica 6/F
24050 Grassobbio BG

LABORATORY REPORT N° 1416627 of 24/10/2014

TEST METHOD	ANALYSIS DESCRIPTION	RESULT ¹	LIMITS	U.M.	L.O.Q.	NOTES	ASSESS. ²
Assessment of ecological criteria - Test Method: UNI EN 14602:2012 Par. 4.1 + ISO 17294-2: 2003 Operating Conditions. - Microwave digestion according to method C - Determination by ICP-MS analysis	Heavy Metals Total Cadmium [Cd] Content Total Lead [Pb] Content Total Mercury [Hg] Content Total Arsenic [As] Content	< L.O.Q. < L.O.Q. < L.O.Q. < L.O.Q.	<0,02 <0,5 <0,001 <0,005	mg/kg mg/kg mg/kg mg/kg	0,02 0,5 0,001 0,005		Pass Pass Pass Pass

Notes

< L.O.Q.: Not detectable analytically

(1) = If the use of this analytical method has detected 4-aminodiphenyl and/or 2-naphtylamine, according to the current state of knowledge it cannot be unequivocally confirmed without additional information that azo colorants which release amines were used.

¹ The symbol < followed by a number indicates that the concentration of the analyte is less than the Limit of Quantification² The assessment is obtained by the comparison between the Result of the analysis ("Result" column) and the required Limit ("Limit" column).

DNV and ICEC certifications are applied to following processes: "Provision of laboratory testing and related technical-normative assistance of leather, fabrics, leathersgoods, apparel, footwear and accessories / components"

U.M.: Units of Measurement

L.O.Q.: Limit of Quantification

Assess.: Assessment

Pass: the test result is conform to the standard required

Fail: the test result is not conform to the standard required

N/A: it is not possible to carry out the test, or the test result can not be defined as "Pass" or "Fail"

This report has been issued by Certest s.r.l. quality system and well documented by our own quality manual and related procedures. Results reported have been achieved applying rules and/or technical procedures specified in the following pages and they refer only to the sample submitted to tests in our laboratory and not the whole lot they represent. Reproduction of this document is allowed only with an exact copy of the original. Partial reproduction of this documents allowed subject to Certest s.r.l. approval and is registered with the referring report number. Only the original report is valid and partial re production of this document is allowed subject to Certest s.r.l. approval and is registered with the referring report number. The use of this report in a judicial process must be expressly authorized by Certest srl. The records related to the analyzes carried out are retained for a period of 48 months. Samples tested are stored for one year if not otherwise required.

The expanded uncertainty (U) is calculated with a coverage factor k=2 for a confidence level of 95% and a number of degrees of freedom greater than or equal to 10.

Copy of digitally signed file

Approved on behalf of CERTEST S.r.l. by:
Dr.ssa Verena BARTALINI, Laboratory Manager

Analysis valid for all legal purposes (R.D. 1 March 1928 n. 842)